


DIN 662 / DIN 674 / DIN 7338

DIN 662

~ HRN M.B3.013
~ ISO 1051

Zakovica sa lećastom glavom
Mushroom head rivets
Linsenniete (blechniete)




AI

| d1 | 2 | 2,6 | 3 | 3,5 | 4 | 5 | 6 | 7 | 8 | 10 |
|------|---|-----|-----|-----|---|-----|----|-----|----|----|
| d2 | 4 | 5,2 | 6 | 7 | 8 | 10 | 12 | 14 | 16 | 20 |
| k | 1 | 1,3 | 1,5 | 1,8 | 2 | 2,5 | 3 | 3,5 | 4 | 5 |
| l/d1 | 2 | 2,6 | 3 | 3,5 | 4 | 5 | 6 | 7 | 8 | 10 |
| 3 | 0 | | | | | | | | | |
| 4 | 0 | 0 | 0 | | | | | | | |
| 5 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 12 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 15 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 18 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 22 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 25 | | | 0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 28 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 30 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 32 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 35 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 38 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 40 | | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 42 | | | | | | 0 | 0 | 0 | 0 | 0 |
| 45 | | | | | | 0 | 0 | 0 | 0 | 0 |

DIN 674

~ HRN M.B3.014

Zakovica s niskom
poluokruglom glavom
Oval head rivets
Flachrundniete



AI


| d1 | 2 | 2,6 | 3 | 3,5 | 4 | 5 | 6 | 7 | 8 | 10 |
|----|-----|-----|-----|-----|---|------|------|------|----|------|
| d2 | 4,5 | 5,8 | 6,8 | 7,8 | 9 | 11,2 | 13,5 | 15,8 | 18 | 22,5 |
| k | 1 | 1,3 | 1,5 | 1,8 | 2 | 2,5 | 3 | 3,5 | 4 | 5 |

NAPOMENA: CIJENE ZA DIN 674 JEDNAKE SU CIJENAMA ZA DIN 662

DIN 7338

~ HRN M.B3.040

Zakovica za obloge kočnica i kvačila
Rivets for brake and clutch linings
Niete



AI

| d1 | 2 | 2,6 | 3 | 3,5 | 4 | 5 | 6 | 7 | 8 | 10 |
|----|-----|-----|-----|-----|-----|-----|------|------|------|-----|
| d2 | 3,7 | 4,8 | 5,5 | 6,5 | 7,5 | 9,5 | 11,5 | 13,5 | 15,5 | 18 |
| k | 0,6 | 0,7 | 0,8 | 0,9 | 1 | 1 | 1,2 | 1,2 | 1,2 | 1,4 |

NAPOMENA: CIJENE ZA DIN 7338 JEDNAKE SU CIJENAMA ZA DIN 662



DIN 662 / DIN 674 / DIN 7338

DIN 662


~ HRN M.B3.013

~ ISO 1051

Zakovica sa lećastom glavom

Mushroom head rivets

Linsenniete (blechniete)



Cu

| d1 | 2 | 2,6 | 3 | 3,5 | 4 | 5 | 6 | 7 | 8 |
|------|---|-----|-----|-----|---|-----|----|-----|----|
| d2 | 4 | 5,2 | 6 | 7 | 8 | 10 | 12 | 14 | 16 |
| k | 1 | 1,3 | 1,5 | 1,8 | 2 | 2,5 | 3 | 3,5 | 4 |
| L/d1 | 2 | 2,6 | 3 | 3,5 | 4 | 5 | 6 | 7 | 8 |
| 3 | 0 | 0 | 0 | | | | | | |
| 4 | 0 | 0 | 0 | | | | | | |
| 5 | 0 | 0 | 0 | 0 | 0 | | | | |
| 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 18 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 22 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 25 | | | | | 0 | 0 | 0 | 0 | 0 |
| 28 | | | | | 0 | 0 | 0 | 0 | 0 |
| 30 | | | | | 0 | 0 | 0 | 0 | 0 |
| 32 | | | | | | 0 | 0 | 0 | 0 |
| 35 | | | | | | 0 | 0 | 0 | 0 |
| 38 | | | | | | 0 | 0 | 0 | 0 |
| 40 | | | | | | 0 | 0 | 0 | 0 |
| 42 | | | | | | | 0 | 0 | 0 |
| 45 | | | | | | | 0 | 0 | 0 |
| 50 | | | | | | | | 0 | 0 |

DIN 674

~ HRN M.B3.014

Zakovica s niskom
poluokruglom glavom

Oval head rivets

Flachrundniete



Cu

| | | | | | | | | | |
|----|-----|-----|-----|-----|---|------|------|------|----|
| d2 | 4,5 | 5,8 | 6,8 | 7,8 | 9 | 11,2 | 13,5 | 15,8 | 18 |
| d1 | 1,2 | 1,4 | 1,6 | 1,8 | 2 | 2,5 | 3 | 3,5 | 4 |
| k | 1 | 1,3 | 1,5 | 1,8 | 2 | 2,5 | 3 | 3,5 | 4 |

NAPOMENA: CIJENE ZA DIN 674 JEDNAKE SU CIJENAMA ZA DIN 662


DIN 7338

~ HRN M.B3.040

Zakovica za obloge kočnica i kvačila

Rivets for brake and clutch linings

Niete



Cu

| | | | | | | | | | |
|----|-----|-----|-----|-----|-----|-----|------|------|------|
| d1 | 2 | 2,6 | 3 | 3,5 | 4 | 5 | 6 | 7 | 8 |
| d2 | 3,7 | 4,8 | 5,5 | 6,5 | 7,5 | 9,5 | 11,5 | 13,5 | 15,5 |
| k | 0,6 | 0,7 | 0,8 | 0,9 | 1 | 1 | 1,2 | 1,2 | 1,2 |

NAPOMENA: CIJENE ZA DIN 7338 JEDNAKE SU CIJENAMA ZA DIN 662




DIN 662 / DIN 674 / DIN 7338

DIN 662

~ HRN M.B3.013
~ ISO 1051

Zakovica sa lećastom glavom
Mushroom head rivets
Linsenniete (blechniete)



Fe

| d1 | 2 | 2,6 | 3 | 3,5 | 4 | 5 | 6 | 7 | 8 |
|------|---|-----|-----|-----|---|-----|----|-----|----|
| d2 | 4 | 5,2 | 6 | 7 | 8 | 10 | 12 | 14 | 16 |
| k | 1 | 1,3 | 1,5 | 1,8 | 2 | 2,5 | 3 | 3,5 | 4 |
| L/d1 | 2 | 2,6 | 3 | 3,5 | 4 | 5 | 6 | 7 | 8 |
| 5 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 18 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 22 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 25 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 28 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 30 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 32 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 35 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 38 | | | | | 0 | 0 | 0 | 0 | 0 |
| 40 | | | | | | 0 | 0 | 0 | 0 |
| 42 | | | | | | 0 | 0 | 0 | 0 |
| 45 | | | | | | 0 | 0 | 0 | 0 |
| 50 | | | | | | 0 | 0 | 0 | 0 |
| 55 | | | | | | | | | 0 |

DIN 674

~ HRN M.B3.014

Zakovica s niskom
poluokruglom glavom
Oval head rivets
Flachrundniete



Fe


| d2 | 4,5 | 5,8 | 6,8 | 7,8 | 9 | 11,2 | 13,5 | 15,8 | 18 |
|----|-----|-----|-----|-----|---|------|------|------|----|
| d1 | 1,2 | 1,4 | 1,6 | 1,8 | 2 | 2,5 | 3 | 3,5 | 4 |
| k | 1 | 1,3 | 1,5 | 1,8 | 2 | 2,5 | 3 | 3,5 | 4 |

NAPOMENA: CIJENE ZA DIN 674 JEDNAKE SU CIJENAMA ZA DIN 662

DIN 7338

~ HRN M.B3.040

Zakovica za obloge kočnica i kvačila
Rivets for brake and clutch linings
Niete



Fe

| d1 | 2 | 2,6 | 3 | 3,5 | 4 | 5 | 6 | 7 | 8 |
|----|-----|-----|-----|-----|-----|-----|------|------|------|
| d2 | 3,7 | 4,8 | 5,5 | 6,5 | 7,5 | 9,5 | 11,5 | 13,5 | 15,5 |
| k | 0,6 | 0,7 | 0,8 | 0,9 | 1 | 1 | 1,2 | 1,2 | 1,2 |

NAPOMENA: CIJENE ZA DIN 7338 JEDNAKE SU CIJENAMA ZA DIN 662




DIN 662 / DIN 674 / DIN 7338

DIN 662

~ HRN M.B3.013
~ ISO 1051

Zakovica sa lećastom glavom
Mushroom head rivets
Linsenniete (blechniete)




Zn

| d1 | 2 | 2,6 | 3 | 3,5 | 4 | 5 | 6 | 7 | 8 |
|------|---|-----|-----|-----|---|-----|----|-----|----|
| d2 | 4 | 5,2 | 6 | 7 | 8 | 10 | 12 | 14 | 16 |
| d1 | 2 | 2,6 | 3 | 3,5 | 4 | 5 | 6 | 7 | 8 |
| k | 1 | 1,3 | 1,5 | 1,8 | 2 | 2,5 | 3 | 3,5 | 4 |
| L/d1 | 2 | 2,6 | 3 | 3,5 | 4 | 5 | 6 | 7 | 8 |
| 5 | o | o | o | o | o | o | | | |
| 6 | o | o | o | o | o | o | o | | |
| 8 | o | o | o | o | o | o | o | | |
| 10 | o | o | o | o | o | o | o | o | o |
| 12 | o | o | o | o | o | o | o | o | o |
| 15 | o | o | o | o | o | o | o | o | o |
| 16 | o | o | o | o | o | o | o | o | o |
| 18 | | o | o | o | o | o | o | o | o |
| 20 | | o | o | o | o | o | o | o | o |
| 22 | | o | o | o | o | o | o | o | o |
| 25 | | o | o | o | o | o | o | o | o |
| 28 | | | o | o | o | o | o | o | o |
| 30 | | | o | o | o | o | o | o | o |
| 32 | | | | o | o | o | o | o | o |
| 35 | | | | o | o | o | o | o | o |
| 38 | | | | | o | o | o | o | o |
| 40 | | | | | | o | o | o | o |
| 42 | | | | | | | o | o | o |
| 45 | | | | | | | o | o | o |
| 50 | | | | | | | o | o | o |
| 55 | | | | | | | | | o |

DIN 674

~ HRN M.B3.014

Zakovica s niskom
poluokruglom glavom
Oval head rivets
Flachrundniete



Zn


| d1 | 2 | 2,6 | 3 | 3,5 | 4 | 5 | 6 | 7 | 8 |
|----|-----|-----|-----|-----|---|------|------|------|----|
| d2 | 4,5 | 5,8 | 6,8 | 7,8 | 9 | 11,2 | 13,5 | 15,8 | 18 |
| k | 1 | 1,3 | 1,5 | 1,8 | 2 | 2,5 | 3 | 3,5 | 4 |

NAPOMENA: CIJENE ZA DIN 674 JEDNAKE SU CIJENAMA ZA DIN 662

DIN 7338

~ HRN M.B3.040

Zakovica za obloge kočnica i kvačila
Rivets for brake and clutch linings
Niete



Zn

| d1 | 2 | 2,6 | 3 | 3,5 | 4 | 5 | 6 | 7 | 8 |
|----|-----|-----|-----|-----|-----|-----|------|------|------|
| d2 | 3,7 | 4,8 | 5,5 | 6,5 | 7,5 | 9,5 | 11,5 | 13,5 | 15,5 |
| k | 0,6 | 0,7 | 0,8 | 0,9 | 1 | 1 | 1,2 | 1,2 | 1,2 |


NAPOMENA: CIJENE ZA DIN 7338 JEDNAKE SU CIJENAMA ZA DIN 662



Zakovica za obloge kočnica i kvačila
sa zabušanjem

Rivets for brake and clutch linings

Niete



AI


| d1 | 2 | 2,6 | 3 | 3,5 | 4 | 5 | 6 | 7 | 8 | 10 |
|------|-----|-----|-----|-----|-----|-----|------|------|------|-----|
| d2 | 3,7 | 4,8 | 5,5 | 6,5 | 7,5 | 9,5 | 11,5 | 13,5 | 15,5 | 18 |
| k | 0,6 | 0,7 | 0,8 | 0,9 | 1 | 1 | 1,2 | 1,2 | 1,2 | 1,4 |
| l/d1 | 2 | 2,6 | 3 | 3,5 | 4 | 5 | 6 | 7 | 8 | 10 |
| 3 | 0 | | | | | | | | | |
| 4 | 0 | 0 | 0 | | | | | | | |
| 5 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 12 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 15 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 16 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 18 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 20 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 22 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 25 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 28 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 30 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 32 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 35 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 38 | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 40 | | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 42 | | | | | | 0 | 0 | 0 | 0 | 0 |
| 45 | | | | | | 0 | 0 | 0 | 0 | 0 |



**Zakovica za obloge kočnica i kvačila
sa zabušanjem**

Rivets for brake and clutch linings

Niete



Cu


| d1 | 2 | 2,6 | 3 | 3,5 | 4 | 5 | 6 | 7 | 8 |
|------|-----|-----|-----|-----|-----|-----|------|------|------|
| d2 | 3,7 | 4,8 | 5,5 | 6,5 | 7,5 | 9,5 | 11,5 | 13,5 | 15,5 |
| k | 0,6 | 0,7 | 0,8 | 0,9 | 1 | 1 | 1,2 | 1,2 | 1,2 |
| l/d1 | 2 | 2,6 | 3 | 3,5 | 4 | 5 | 6 | 7 | 8 |
| 3 | 0 | 0 | 0 | | | | | | |
| 4 | 0 | 0 | 0 | | | | | | |
| 5 | 0 | 0 | 0 | 0 | 0 | | | | |
| 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 18 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 22 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 25 | | | | | 0 | 0 | 0 | 0 | 0 |
| 28 | | | | | 0 | 0 | 0 | 0 | 0 |
| 30 | | | | | 0 | 0 | 0 | 0 | 0 |
| 32 | | | | | | 0 | 0 | 0 | 0 |
| 35 | | | | | | 0 | 0 | 0 | 0 |
| 38 | | | | | | 0 | 0 | 0 | 0 |
| 40 | | | | | | 0 | 0 | 0 | 0 |
| 42 | | | | | | | 0 | 0 | 0 |
| 45 | | | | | | | 0 | 0 | 0 |
| 50 | | | | | | | | 0 | 0 |



Zakovica za obloge kočnica i kvačila sa zabušanjem

Rivets for brake and clutch linings

Niete




Fe

| d1 | 2 | 2,6 | 3 | 3,5 | 4 | 5 | 6 | 7 | 8 |
|------|-----|-----|-----|-----|-----|-----|------|------|------|
| d2 | 3,7 | 4,8 | 5,5 | 6,5 | 7,5 | 9,5 | 11,5 | 13,5 | 15,5 |
| k | 0,6 | 0,7 | 0,8 | 0,9 | 1 | 1 | 1,2 | 1,2 | 1,2 |
| l/d1 | 2 | 2,6 | 3 | 3,5 | 4 | 5 | 6 | 7 | 8 |
| 5 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 18 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 22 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 25 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 28 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 30 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 32 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 35 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 38 | | | | | 0 | 0 | 0 | 0 | 0 |
| 40 | | | | | | 0 | 0 | 0 | 0 |
| 42 | | | | | | 0 | 0 | 0 | 0 |
| 45 | | | | | | 0 | 0 | 0 | 0 |
| 50 | | | | | | 0 | 0 | 0 | 0 |
| 55 | | | | | | | | | 0 |



Zakovica za obloge kočnica i kvačila
sa zabušanjem
Rivets for brake and clutch linings
Niete



Zn

| d1 | 2 | 2,6 | 3 | 3,5 | 4 | 5 | 6 | 7 | 8 |
|------|-----|-----|-----|-----|-----|-----|------|------|------|
| d2 | 3,7 | 4,8 | 5,5 | 6,5 | 7,5 | 9,5 | 11,5 | 13,5 | 15,5 |
| k | 0,6 | 0,7 | 0,8 | 0,9 | 1 | 1 | 1,2 | 1,2 | 1,2 |
| l/d1 | 2 | 2,6 | 3 | 3,5 | 4 | 5 | 6 | 7 | 8 |
| 5 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 18 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 22 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 25 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 28 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 30 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 32 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 35 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 38 | | | | | 0 | 0 | 0 | 0 | 0 |
| 40 | | | | | | 0 | 0 | 0 | 0 |
| 42 | | | | | | | 0 | 0 | 0 |
| 45 | | | | | | | | 0 | 0 |
| 50 | | | | | | | | | 0 |
| 55 | | | | | | | | | |

