


Vijak imbus sa cilindričnom glavom i šesterokutnom rupom

Hexagon socket head cap screws

Zylinderschrauben mit Innensechskant



8.8 Br


d1	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20
d2	5,5	7,0	8,5	10,0	13,0	16,0	18,0	21,0	24,0	27,0	30,0
b <125	12	14	16	18	22	26	30	34	38	42	46
b 125 < l < 200				24	28	32	36	40	44	48	52
b l > 200						45	49	53	57	61	65
k	3	4	5	6	8	10	12	14	16	18	20
s	2,5	3,0	4,0	5,0	6,0	8,0	10,0	12,0	14,0	14,0	17,0
t	1,3	2,0	2,5	3,0	4,0	5,0	6,0	7,0	8,0	9,0	10,0
l/d1	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20
6	0	0	0								
8	0	0	0	0	0						
10	0	0	0	0	0	0					
12	0	0	0	0	0	0	0				
14	0	0	0	0	0	0	0				
16	0	0	0	0	0	0	0	0			
18	0	0	0	0	0	0	0	0			
20	0	0	0	0	0	0	0	0	0		
22	0	0	0	0	0	0	0	0	0		
25	0	0	0	0	0	0	0	0	0		
30	0	0	0	0	0	0	0	0	0	0	
35	0	0	0	0	0	0	0	0	0	0	0
40	0	0	0	0	0	0	0	0	0	0	0
45		0	0	0	0	0	0	0	0	0	0
50		0	0	0	0	0	0	0	0	0	0
55			0	0	0	0	0	0	0	0	0
60			0	0	0	0	0	0	0	0	0
65			0	0	0	0	0	0	0	0	0
70			0	0	0	0	0	0	0	0	0
75			0	0	0	0	0	0	0	0	0
80			0	0	0	0	0	0	0	0	0
85			0	0	0	0	0	0	0	0	0
90			0	0	0	0	0	0	0	0	0
100			0	0	0	0	0	0	0	0	0
110			0	0	0	0	0	0	0	0	0
120			0	0	0	0	0	0	0	0	0
130				0	0	0	0	0	0	0	0
140				0	0	0	0	0	0	0	0
150					0	0	0	0	0	0	0
160					0	0	0	0	0	0	0
170					0	0	0	0	0	0	0
180					0	0	0	0	0	0	0
190					0	0	0	0	0	0	0
200					0	0	0	0	0	0	0
220					0	0	0	0	0	0	0
240					0	0	0	0	0	0	0
260					0	0	0	0	0	0	0
280						0	0	0	0	0	0
300						0	0	0	0	0	0



Vijak imbus sa cilindričnom glavom i šesterokutnom rupom

Hexagon socket head cap screws

Zylinderschrauben mit Innensechskant



8.8 Br

d1	M 22	M 24	M 27	M 30	M 33	M 36	M 39	M 42	M 45	M 48
d2	33,0	36,0	40,0	45,0	50,0	54,0		63,0		72,0
b l < 125	50	54	60	66						
b 125 < l < 200	56	60	66	72	78	84		96		108
b l > 200	69	73	79	85						
k	22	24	27	30	33	36		42		48
s	17,0	19,0	19,0	22,0	24,0	27,0		32,0		36,0
t	11,0	12,0	13,5	15,5	18,0	19,0		24,0		28,0
l/d1	M 22	M 24	M 27	M 30	M 33	M 36	M 39	M 42	M 45	M 48
6										
8										
10										
12										
14										
16										
18										
20										
22										
25										
30										
35										
40	0	0	0	0						
45	0	0								
50	0	0	0	0						
55	0	0	0	0						
60	0	0	0	0	0	0				
65	0	0	0	0	0	0				
70	0	0	0	0	0	0				
75	0	0	0	0	0	0				
80	0	0	0	0	0	0	0	0		
85	0	0	0	0	0	0	0	0		
90	0	0	0	0	0	0	0	0	0	
100	0	0	0	0	0	0	0	0	0	
110	0	0	0	0	0	0	0	0	0	
120	0	0	0	0	0	0	0	0	0	0
130	0	0	0	0	0	0	0	0	0	0
140	0	0	0	0	0	0	0	0	0	0
150	0	0	0	0	0	0	0	0	0	0
160	0	0	0	0	0	0	0	0	0	0
170	0	0	0	0	0	0	0	0	0	0
180	0	0	0	0	0	0	0	0	0	0
190	0	0	0	0	0	0	0	0	0	0
200	0	0	0	0	0	0	0	0	0	0
220	0	0			0	0	0	0	0	0
240	0	0			0	0	0	0	0	0
260					0	0	0	0	0	0
280					0	0	0	0	0	0
300	0	0	0	0	0	0	0	0	0	0


Vijak imbus sa cilindričnom glavom i šesterokutnom rupom

Hexagon socket head

cap screws

Zylinderschrauben mit

Innensechskant



8.8 Zn

d1	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20
d2	5,5	7,0	8,5	10,0	13,0	16,0	18,0	21,0	24,0	27,0	30,0
b l<125	12	14	16	18	22	26	30	34	38	42	46
b 125<l<200				24	28	32	36	40	44	48	52
b l>200						45	49	53	57	61	65
k	3	4	5	6	8	10	12	14	16	18	20
s	2,5	3,0	4,0	5,0	6,0	8,0	10,0	12,0	14,0	14,0	17,0
t	1,3	2,0	2,5	3,0	4,0	5,0	6,0	7,0	8,0	9,0	10,0
l/d1	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20
6	o	o	o								
8	o	o	o	o							
10	o	o	o	o	o	o					
12	o	o	o	o	o	o	o				
14	o	o	o	o	o	o	o	o			
16	o	o	o	o	o	o	o	o	o		
18	o	o	o	o	o	o	o	o	o	o	
20	o	o	o	o	o	o	o	o	o	o	o
22	o	o	o	o	o	o	o	o	o	o	o
25	o	o	o	o	o	o	o	o	o	o	o
30	o	o	o	o	o	o	o	o	o	o	o
35	o	o	o	o	o	o	o	o	o	o	o
40	o	o	o	o	o	o	o	o	o	o	o
45		o	o	o	o	o	o	o	o	o	o
50		o	o	o	o	o	o	o	o	o	o
55		o	o	o	o	o	o	o	o	o	o
60		o	o	o	o	o	o	o	o	o	o
65		o	o	o	o	o	o	o	o	o	o
70		o	o	o	o	o	o	o	o	o	o
75			o	o	o	o	o	o	o	o	o
80			o	o	o	o	o	o	o	o	o
85			o	o	o	o	o	o	o	o	o
90			o	o	o	o	o	o	o	o	o
100			o	o	o	o	o	o	o	o	o
110			o	o	o	o	o	o	o	o	o
120			o	o	o	o	o	o	o	o	o
130				o	o	o	o	o	o	o	o
140					o	o	o	o	o	o	o
150					o	o	o	o	o	o	o
160					o	o	o	o	o	o	o
170					o	o	o	o	o	o	o
180					o	o	o	o	o	o	o
190					o	o	o	o	o	o	o
200					o	o	o	o	o	o	o
220					o	o	o	o	o	o	o
240					o	o	o	o	o	o	o
260						o	o	o	o	o	o
280						o	o	o	o	o	o
300						o	o	o	o	o	o




Vijak imbus sa cilindričnom glavom i šesterokutnom rupom

Hexagon socket head

cap screws

Zylinderschrauben mit

Innensechskant



8.8 Zn


d1	M 22	M 24	M 27	M 30	M 33	M 36	M 39	M 42	M 45	M 48
d2	33,0	36,0	40,0	45,0	50,0	54,0		63,0		72,0
b l < 125	50	54	60	66						
b 125 < l < 200	56	60	66	72	78	84		96		108
b l > 200	69	73	79	85						
k	22	24	27	30	33	36		42		48
s	17,0	19,0	19,0	22,0	24,0	27,0		32,0		36,0
t	11,0	12,0	13,5	15,5	18,0	19,0		24,0		28,0
l/d1	M 22	M 24	M 27	M 30	M 33	M 36	M 39	M 42	M 45	M 48
6										
8										
10										
12										
14										
16										
18										
20										
22										
25										
30										
35										
40	0	0								
45	0	0								
50	0	0	0	0						
55	0	0	0	0						
60	0	0	0	0	0	0				
65	0	0	0	0	0	0				
70	0	0	0	0	0	0				
75	0	0	0	0	0	0				
80	0	0	0	0	0	0	0	0		
85	0	0	0	0	0	0	0	0	0	
90	0	0	0	0	0	0	0	0	0	
100	0	0	0	0	0	0	0	0	0	
110	0	0	0	0	0	0	0	0	0	
120	0	0	0	0	0	0	0	0	0	0
130	0	0	0	0	0	0	0	0	0	0
140	0	0	0	0	0	0	0	0	0	0
150	0	0	0	0	0	0	0	0	0	0
160	0	0	0	0	0	0	0	0	0	0
170	0	0	0	0	0	0	0	0	0	0
180	0	0	0	0	0	0	0	0	0	0
190	0	0	0	0	0	0	0	0	0	0
200	0	0	0	0	0	0	0	0	0	0
220	0	0	0		0	0	0	0	0	0
240	0	0	0		0	0	0	0	0	0
260			0		0	0	0	0	0	0
280			0		0	0	0	0	0	0
300			0		0	0	0	0	0	0



Vijak imbus sa cilindričnom glavom i šesterokutnom rupom

Hexagon socket head cap screws

Zylinderschrauben mit Innensechskant



8.8 TZn


d1	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M 22	M 24	M 27	M 30
d2	13	16	18	21	24	27	30	33	36	40	45
b l < 125	22	26	30	34	38	42	46	50	54	60	66
b 125 < l < 200	28	32	36	40	44	48	52	56	60	66	72
b l > 200		45	49	53	57	61	65	69	73	79	85
k	8	10	12	14	16	18	20	22	24	27	30
s	6	8	10	12	14	14	17	17	19	19	22
t	4,0	5,0	6,0	7,0	8,0	9,0	10,0	11,0	12,0	13,5	15,5
l/d1	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M 22	M 24	M 27	M 30
10	o	o									
12	o	o									
14	o	o									
16	o	o									
18	o	o									
20	o	o	o	o	o						
22	o	o	o	o	o						
25	o	o	o	o	o						
30	o	o	o	o	o	o	o				
35	o	o	o	o	o	o	o				
40	o	o	o	o	o	o	o	o	o		
45	o	o	o	o	o	o	o	o	o		
50	o	o	o	o	o	o	o	o	o	o	o
55	o	o	o	o	o	o	o	o	o	o	o
60	o	o	o	o	o	o	o	o	o	o	o
65	o	o	o	o	o	o	o	o	o	o	o
70	o	o	o	o	o	o	o	o	o	o	o
75	o	o	o	o	o	o	o	o	o	o	o
80	o	o	o	o	o	o	o	o	o	o	o
85	o	o	o	o	o	o	o	o	o	o	o
90	o	o	o	o	o	o	o	o	o	o	o
100	o	o	o	o	o	o	o	o	o	o	o
110	o	o	o	o	o	o	o	o	o	o	o
120	o	o	o	o	o	o	o	o	o	o	o
130	o	o	o	o	o	o	o	o	o	o	o
140	o	o	o	o	o	o	o	o	o	o	o
150	o	o	o	o	o	o	o	o	o	o	o
160	o	o	o	o	o	o	o	o	o	o	o
170	o	o	o	o	o	o	o	o	o	o	o
180	o	o	o	o	o	o	o	o	o	o	o
190	o	o	o	o	o	o	o	o	o	o	o
200	o	o	o	o	o	o	o	o	o	o	o
220	o	o	o	o	o	o	o	o	o	o	o
240	o	o	o	o	o	o	o	o	o	o	o
260		o	o	o	o					o	
280		o	o	o	o					o	
300		o	o	o	o					o	



Vijak imbus sa cilindričnom glavom i šesterokutnom rupom

Hexagon socket head cap screws

Zylinderschrauben mit Innensechskant




10.9 Br

d1	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M 22	M 24	M 27	M 30
d2	5,5	7,0	8,5	10,0	13,0	16,0	18,0	21,0	24,0	27,0	30,0	33,0	36,0	40,0	45,0
b < 125	12	14	16	18	22	26	30	34	38	42	46	50	54	60	66
b 125 < l < 200				24	28	32	36	40	44	48	52	56	60	66	72
b > 200						45	49	53	57	61	65	69	73	79	85
k	3	4	5	6	8	10	12	14	16	18	20	22	24	27	30
s	2,50	3,00	4,00	5,00	6,00	8,00	10,00	12,00	14,00	14,00	17,00	17,00	19,00	19,00	22,00
t	1,30	2,00	2,50	3,00	4,00	5,00	6,00	7,00	8,00	9,00	10,00	11,00	12,00	13,50	15,50
l/d1	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M 22	M 24	M 27	M 30
6	o	o	o												
8	o	o	o	o	o										
10	o	o	o	o	o	o									
12	o	o	o	o	o	o	o								
14	o	o	o	o	o	o	o	o							
16	o	o	o	o	o	o	o	o	o						
18	o	o	o	o	o	o	o	o	o	o					
20	o	o	o	o	o	o	o	o	o	o	o				
22	o	o	o	o	o	o	o	o	o	o	o	o			
25	o	o	o	o	o	o	o	o	o	o	o	o	o		
30	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
35	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
40	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
45	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
50	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
55	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
60	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
65	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
70	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
80	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
90	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
100	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
110	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
120	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
130	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
140	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
150	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
160	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
170	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
180	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
190	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
200	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
220	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
240	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
260	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
280	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
300	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o



Vijak imbus sa cilindričnom glavom i šesterokutnom rupom
 Hexagon socket head cap screws
 Zylinderschrauben mit Innensechskant



10.9 Zn

d1	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M 22	M 24	M 27	M 30
d2	5,5	7,0	8,5	10,0	13,0	16,0	18,0	21,0	24,0	27,0	30,0	33,0	36,0	40,0	45,0
b l < 125	12	14	16	18	22	26	30	34	38	42	46	50	54	60	66
b 125 < l < 200				24	28	32	36	40	44	48	52	56	60	66	72
b l > 200						45	49	53	57	61	65	69	73	79	85
k	3,00	4,00	5,00	6,00	8,00	10,00	12,00	14,00	16,00	18,00	20,00	22,00	24,00	27,00	30,00
s	2,50	3,00	4,00	5,00	6,00	8,00	10,00	12,00	14,00	14,00	17,00	17,00	19,00	19,00	22,00
t	1,30	2,00	2,50	3,00	4,00	5,00	6,00	7,00	8,00	9,00	10,00	11,00	12,00	13,50	15,50
l/d1	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M 22	M 24	M 27	M 30
6	o	o	o												
8	o	o	o	o	o										
10	o	o	o	o	o	o									
12	o	o	o	o	o	o	o								
14	o	o	o	o	o	o	o	o							
16	o	o	o	o	o	o	o	o	o						
18	o	o	o	o	o	o	o	o	o	o					
20	o	o	o	o	o	o	o	o	o	o	o				
22	o	o	o	o	o	o	o	o	o	o	o	o			
25	o	o	o	o	o	o	o	o	o	o	o	o	o		
30	o	o	o	o	o	o	o	o	o	o	o	o	o	o	
35	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
40	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
45		o	o	o	o	o	o	o	o	o	o	o	o	o	o
50		o	o	o	o	o	o	o	o	o	o	o	o	o	o
55			o	o	o	o	o	o	o	o	o	o	o	o	o
60			o	o	o	o	o	o	o	o	o	o	o	o	o
65				o	o	o	o	o	o	o	o	o	o	o	o
70				o	o	o	o	o	o	o	o	o	o	o	o
80				o	o	o	o	o	o	o	o	o	o	o	o
90				o	o	o	o	o	o	o	o	o	o	o	o
100				o	o	o	o	o	o	o	o	o	o	o	o
110				o	o	o	o	o	o	o	o	o	o	o	o
120				o	o	o	o	o	o	o	o	o	o	o	o
130					o	o	o	o	o	o	o	o	o	o	o
140						o	o	o	o	o	o	o	o	o	o
150						o	o	o	o	o	o	o	o	o	o
160						o	o	o	o	o	o	o	o	o	o
170							o	o	o	o	o	o	o	o	o
180							o	o	o	o	o	o	o	o	o
190							o	o	o	o	o	o	o	o	o
200							o	o	o	o	o	o	o	o	o
220							o	o	o	o	o	o	o	o	o
240								o	o	o	o	o	o	o	o
260									o	o	o	o	o	o	o
280									o	o	o	o	o	o	o
300									o	o	o	o	o	o	o




Vijak imbus sa cilindričnom glavom i šesterokutnom rupom

Hexagon socket head cap screws

Zylinderschrauben mit

Innensechskant



12.9 Zn


d1	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20
d2	5,5	7,0	8,5	10,0	13,0	16,0	18,0	21,0	24,0	27,0	30,0
b l < 125	12	14	16	18	22	26	30	34	38	42	46
b 125 < l < 200			24	28	32	36	40	44	48	52	
b l > 200					45	49	53	57	61	65	
k	3	4	5	6	8	10	12	14	16	18	20
s	2,5	3,0	4,0	5,0	6,0	8,0	10,0	12,0	14,0	14,0	17,0
t	1,3	2,0	2,5	3,0	4,0	5,0	6,0	7,0	8,0	9,0	10,0
l/d1	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20
6	0	0	0								
8	0	0	0	0	0						
10	0	0	0	0	0	0					
12	0	0	0	0	0	0	0				
14	0	0	0	0	0	0	0				
16	0	0	0	0	0	0	0	0			
18	0	0	0	0	0	0	0	0	0		
20	0	0	0	0	0	0	0	0	0	0	
22	0	0	0	0	0	0	0	0	0	0	
25	0	0	0	0	0	0	0	0	0	0	
30	0	0	0	0	0	0	0	0	0	0	0
35	0	0	0	0	0	0	0	0	0	0	0
40	0	0	0	0	0	0	0	0	0	0	0
45		0	0	0	0	0	0	0	0	0	0
50		0	0	0	0	0	0	0	0	0	0
55			0	0	0	0	0	0	0	0	0
60			0	0	0	0	0	0	0	0	0
65			0	0	0	0	0	0	0	0	0
70			0	0	0	0	0	0	0	0	0
80			0	0	0	0	0	0	0	0	0
90			0	0	0	0	0	0	0	0	0
100			0	0	0	0	0	0	0	0	0
110			0	0	0	0	0	0	0	0	0
120			0	0	0	0	0	0	0	0	0
130				0	0	0	0	0	0	0	0
140					0	0	0	0	0	0	0
150					0	0	0	0	0	0	0
160					0	0	0	0	0	0	0
170					0	0	0	0	0	0	0
180					0	0	0	0	0	0	0
190					0	0	0	0	0	0	0
200					0	0	0	0	0	0	0
220					0	0	0	0	0	0	0
240					0	0	0	0	0	0	0
260						0	0	0	0		
280						0	0	0	0		
300						0	0	0	0		



Vijak imbus sa cilindričnom glavom i šesterokutnom rupom

Hexagon socket
cap screws

Zylinderschrauben mit
Innensechskant



12.9 Zn


d1	M 22	M 24	M 27	M 30	M 33	M 36	M 39	M 42	M 45	M 48
d2	33,0	36,0	40,0	45,0	50,0	54,0		63,0		72,0
b <125	50	54	60	66						
b 125 < l < 200	56	60	66	72	78	84		96		108
b >200	69	73	79	85						
k	22	24	27	30	33	36		42		48
s	17,0	19,0	19,0	22,0	24,0	27,0		32,0		36,0
t	11,0	12,0	13,5	15,5	18,0	19,0		24,0		28,0
l/d1	M 22	M 24	M 27	M 30	M 33	M 36	M 39	M 42	M 45	M 48
6										
8										
10										
12										
14										
16										
18										
20										
22										
25										
30	o	o								
35		o								
40	o	o	o	o						
45	o	o								
50	o	o	o	o						
55	o	o	o	o						
60	o	o	o	o	o	o				
65	o	o			o	o				
70	o	o	o	o	o	o				
80	o	o	o	o	o	o	o	o		
90	o	o	o	o	o	o	o	o	o	
100	o	o	o	o	o	o	o	o		
110	o	o	o	o	o	o	o	o		
120	o	o	o	o	o	o	o	o	o	o
130	o	o	o	o	o	o	o	o	o	o
140	o	o	o	o	o	o	o	o	o	o
150	o	o	o	o	o	o	o	o	o	o
160	o	o	o	o	o	o	o	o	o	o
170	o	o	o	o	o	o	o	o	o	o
180	o	o	o	o	o	o	o	o	o	o
190	o	o	o	o	o	o	o	o	o	o
200	o	o	o	o	o	o	o	o	o	o
220	o	o			o	o	o	o	o	o
240	o	o			o	o	o	o	o	o
260					o	o	o	o	o	o
280					o	o	o	o	o	o
300					o	o	o	o	o	o



Vijak imbus sa cilindričnom glavom i šesterokutnom rupom

Hexagon socket head cap screws

Zylinderschrauben mit Innensechskant



12.9 Br


d1	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20
d2	5,5	7,0	8,5	10,0	13,0	16,0	18,0	21,0	24,0	27,0	30,0
b <125	12	14	16	18	22	26	30	34	38	42	46
b 125 < l < 200				24	28	32	36	40	44	48	52
b l > 200						45	49	53	57	61	65
k	3	4	5	6	8	10	12	14	16	18	20
s	2,5	3,0	4,0	5,0	6,0	8,0	10,0	12,0	14,0	14,0	17,0
t	1,3	2,0	2,5	3,0	4,0	5,0	6,0	7,0	8,0	9,0	10,0
l/d1	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20
6	0	0	0								
8	0	0	0	0	0						
10	0	0	0	0	0	0					
12	0	0	0	0	0	0	0				
14	0	0	0	0	0	0	0				
16	0	0	0	0	0	0	0				
18	0	0	0	0	0	0	0				
20	0	0	0	0	0	0	0	0	0		
22	0	0	0	0	0	0	0	0	0		
25	0	0	0	0	0	0	0	0	0		
30	0	0	0	0	0	0	0	0	0	0	0
35	0	0	0	0	0	0	0	0	0	0	0
40	0	0	0	0	0	0	0	0	0	0	0
45		0	0	0	0	0	0	0	0	0	0
50		0	0	0	0	0	0	0	0	0	0
55			0	0	0	0	0	0	0	0	0
60			0	0	0	0	0	0	0	0	0
65			0	0	0	0	0	0	0	0	0
70			0	0	0	0	0	0	0	0	0
80			0	0	0	0	0	0	0	0	0
90			0	0	0	0	0	0	0	0	0
100			0	0	0	0	0	0	0	0	0
110			0	0	0	0	0	0	0	0	0
120			0	0	0	0	0	0	0	0	0
130				0	0	0	0	0	0	0	0
140					0	0	0	0	0	0	0
150					0	0	0	0	0	0	0
160					0	0	0	0	0	0	0
170					0	0	0	0	0	0	0
180					0	0	0	0	0	0	0
190					0	0	0	0	0	0	0
200					0	0	0	0	0	0	0
220					0	0	0	0	0	0	0
240					0	0	0	0	0	0	0
260						0	0	0	0		
280						0	0	0	0		
300						0	0	0	0		



Vijak imbus sa cilindričnom glavom i šesterokutnom rupom

Hexagon socket head cap screws

Zylinderschrauben mit Innensechskant



12.9 Br

d1	M 22	M 24	M 27	M 30	M 33	M 36	M 39	M 42	M 45	M 48
d2	33,0	36,0	40,0	45,0	50,0	54,0		63,0		72,0
b l < 125	50	54	60	66						
b 125 < l < 200	56	60	66	72	78	84		96		108
b l > 200	69	73	79	85						
k	22	24	27	30	33	36		42		48
s	17,0	19,0	19,0	22,0	24,0	27,0		32,0		36,0
t	11,0	12,0	13,5	15,5	18,0	19,0		24,0		28,0
l/d1	M 22	M 24	M 27	M 30	M 33	M 36	M 39	M 42	M 45	M 48
6										
8										
10										
12										
14										
16										
18										
20										
22										
25										
30	0	0								
35		0								
40	0	0	0	0						
45	0	0								
50	0	0	0	0						
55	0	0	0	0						
60	0	0	0	0	0	0				
65	0	0			0	0				
70	0	0	0	0	0	0				
80	0	0	0	0	0	0	0	0		
90	0	0	0	0	0	0	0	0		
100	0	0	0	0	0	0	0	0		
110	0	0	0	0	0	0	0	0		
120	0	0	0	0	0	0	0	0	0	0
130	0	0	0	0	0	0	0	0	0	0
140	0	0	0	0	0	0	0	0	0	0
150	0	0	0	0	0	0	0	0	0	0
160	0	0	0	0	0	0	0	0	0	0
170	0	0	0	0	0	0	0	0	0	0
180	0	0	0	0	0	0	0	0	0	0
190	0	0	0	0	0	0	0	0	0	0
200	0	0	0	0	0	0	0	0	0	0
220	0	0			0	0	0	0	0	0
240	0	0			0	0	0	0	0	0
260					0	0	0	0	0	0
280					0	0	0	0	0	0
300					0	0	0	0	0	0

