


Vijak sa šesterokutnom glavom,  
sa finim navojem do glave  
Hexagon head screws  
with metric fine pitch thread  
Sechskantschrauben ohne Schaft,  
metrisches Feingewinde




## 8.8 Br

d1	M 8 x 1	M 10 x 1	M 10 x 1,25	M 12 x 1,25	M 12 x 1,5	M 14 x 1,5	M 16 x 1,5	M 18 x 1,5	M 20 x 1,5
e	14,8	18,9	18,9	21,1	21,1	24,49	26,75	30,14	33,53
k	5,3	6,4	6,4	7,5	7,5	8,8	10	11,5	12,5
s po DIN	13	17	17	19	19	22	24	27	30
s po ISO	13	16	16	18	18	21	24	27	30
l/d	M 8 x 1	M 10 x 1	M 10 x 1,25	M 12 x 1,25	M 12 x 1,5	M 14 x 1,5	M 16 x 1,5	M 18 x 1,5	M 20 x 1,5
10	o								
12	o								
14	o	o	o						
16	o	o	o	o	o	o			
18	o	o	o	o	o	o			
20	o	o	o	o	o	o	o		
22	o	o	o	o	o	o	o	o	
25	o	o	o	o	o	o	o	o	
30	o	o	o	o	o	o	o	o	o
35	o	o	o	o	o	o	o	o	o
40	o	o	o	o	o	o	o	o	o
45	o	o	o	o	o	o	o	o	o
50	o	o	o	o	o	o	o	o	o
55	o	o	o	o	o	o	o	o	o
60	o	o	o	o	o	o	o	o	o
65	o	o	o	o	o	o	o	o	o
70	o	o	o	o	o	o	o	o	o
75	o	o	o	o	o	o	o	o	o
80	o	o	o	o	o	o	o	o	o
85	o	o	o	o	o	o	o	o	o
90	o	o	o	o	o	o	o	o	o
95	o	o	o	o	o	o	o	o	o
100	o	o	o	o	o	o	o	o	o
110				o		o	o	o	o
120				o		o	o	o	o
130				o		o	o	o	o
140				o		o	o	o	o
150				o		o	o	o	o



Vijak sa šesterokutnom glavom,  
sa finim navojem do glave  
Hexagon head screws  
with metric fine pitch thread  
Sechskantschrauben ohne Schaft,  
metrisches Feingewinde




## 8.8 Br

d1	M 22 x 2	M 24 x 2	M 27 x 2	M 30 x 2	M 33 x 2	M 36 x 3	M 39 x 3	M 42 x 3
e	35,72	39,98	45,2	50,85	55,37	60,79	66,49	72,02
k	14,22	15	17,3	19,1	21	23	25	26
s po DIN	32	36	41,00	46,00	50,00	55	60,00	65,00
s po ISO		36						
l/d	M 22 x 2	M 24 x 2	M 27 x 2	M 30 x 2	M 33 x 2	M 36 x 3	M 39 x 3	M 42 x 3
10								
12								
14								
16								
18								
20								
22								
25								
30	o	o						
35	o	o						
40	o	o						
45	o	o						
50	o	o	o	o				
55	o	o	o	o				
60	o	o	o	o	o	o		
65	o	o	o	o	o	o		
70	o	o	o	o	o	o		
75	o	o	o	o	o	o		
80	o	o	o	o	o	o	o	o
85	o	o	o	o	o	o	o	o
90	o	o	o	o	o	o	o	o
95	o	o	o	o	o	o	o	o
100	o	o	o	o	o	o	o	o
110	o	o	o	o	o	o	o	o
120	o	o	o	o	o	o	o	o
130	o	o	o	o	o	o	o	o
140	o	o	o	o	o	o	o	o
150	o	o	o	o	o	o	o	o



Vijak sa šesterokutnom glavom,  
sa finim navojem do glave  
Hexagon head screws  
with metric fine pitch thread  
Sechskantschrauben ohne Schaft,  
metrisches Feingewinde




## 8.8 Zn

d1	M 8 x 1	M 10 x 1	M 10 x 1,25	M 12 x 1,25	M 12 x 1,5	M 14 x 1,5	M 16 x 1,5	M 18 x 1,5	M 20 x 1,5
e	14,8	18,9	18,9	21,1	21,1	24,49	26,75	30,14	33,53
k	5,3	6,4	6,4	7,5	7,5	8,8	10	11,5	12,5
s po DIN	13	17	17	19	19	22	24	27	30
s po ISO	13	16	16	18	18	21	24	27	30
l/d	M 8 x 1	M 10 x 1	M 10 x 1,25	M 12 x 1,25	M 12 x 1,5	M 14 x 1,5	M 16 x 1,5	M 18 x 1,5	M 20 x 1,5
10	0								
12	0								
14	0								
16	0	0	0	0	0	0			
18	0	0	0	0	0	0			
20	0	0	0	0	0	0	0		
22	0	0	0	0	0	0	0		
25	0	0	0	0	0	0	0		
30	0	0	0	0	0	0	0	0	0
35	0	0	0	0	0	0	0	0	0
40	0	0	0	0	0	0	0	0	0
45	0	0	0	0	0	0	0	0	0
50	0	0	0	0	0	0	0	0	0
55	0	0	0	0	0	0	0	0	0
60	0	0	0	0	0	0	0	0	0
65	0	0	0	0	0	0	0	0	0
70	0	0	0	0	0	0	0	0	0
75	0	0	0	0	0	0	0	0	0
80	0	0	0	0	0	0	0	0	0
85	0	0	0	0	0	0	0	0	0
90	0	0	0	0	0	0	0	0	0
95	0	0	0	0	0	0	0	0	0
100	0	0	0	0	0	0	0	0	0
110				0	0	0	0	0	0
120				0	0	0	0	0	0
130				0	0	0	0	0	0
140				0	0	0	0	0	0
150				0	0	0	0	0	0



Vijak sa šesterokutnom glavom,  
sa finim navojem do glave  
Hexagon head screws  
with metric fine pitch thread  
Sechskantschrauben ohne Schaft,  
metrisches Feingewinde




## 8.8 Zn

d1	M 22 x 2	M 24 x 2	M 27 x 2	M30 x 2	M 33 x 2	M 36 x 3	M 39 x 3	M 42 x 3
e	35,72	39,98	45,2	50,85	55,37	60,79	66,49	72,02
k	14,22	15	17,3	19,1	21	23	25	26
s po DIN	32	36	41	46	50	55	60	65
s po ISO		36						
l/d	M 22 x 2	M 24 x 2	M 27 x 2	M30 x 2	M 33 x 2	M 36 x 3	M 39 x 3	M 42 x 3
10								
12								
14								
16								
18								
20								
22								
25								
30	o							
35	o							
40	o	o						
45	o	o						
50	o	o	o	o				
55	o	o	o	o	o			
60	o	o	o	o	o	o		
65	o	o	o	o	o	o		
70	o	o	o	o	o	o		
75	o	o	o	o	o	o		
80	o	o	o	o	o	o	o	o
85	o	o	o	o	o	o	o	o
90	o	o	o	o	o	o	o	o
95	o	o	o	o	o	o	o	o
100	o	o	o	o	o	o	o	o
110	o	o	o	o	o	o	o	o
120	o	o	o	o	o	o	o	o
130	o	o	o	o	o	o	o	o
140	o	o	o	o	o	o	o	o
150	o	o	o	o	o	o	o	o



Vijak sa šesterokutnom glavom,  
 sa finim navojem do glave  
 Hexagon head screws  
 with metric fine pitch thread  
 Sechskantschrauben ohne Schaft,  
 metrisches Feingewinde




## 10.9 Br

d1	M 8 x 1	M 10 x 1	M 10 x 1,25	M 12 x 1,25	M 12 x 1,5	M 14 x 1,5	M 16 x 1,5	M 18 x 1,5	M 20 x 1,5
e	14,8	18,9	18,9	21,1	21,1	24,49	26,75	30,14	33,53
k	5,3	6,4	6,4	7,5	7,5	8,8	10	11,5	12,5
s po DIN	13	17	17	19	19	22	24	27	30
s po ISO	13	16	16	18	18	21	24	27	30
l/d	M 8 x 1	M 10 x 1	M 10 x 1,25	M 12 x 1,25	M 12 x 1,5	M 14 x 1,5	M 16 x 1,5	M 18 x 1,5	M 20 x 1,5
10	o								
12	o								
14	o								
16	o	o	o	o	o	o			
18	o	o	o	o	o	o			
20	o	o	o	o	o	o	o		
22	o	o	o	o	o	o	o		
25	o	o	o	o	o	o	o		
30	o	o	o	o	o	o	o	o	o
35	o	o	o	o	o	o	o	o	o
40	o	o	o	o	o	o	o	o	o
45	o	o	o	o	o	o	o	o	o
50	o	o	o	o	o	o	o	o	o
55	o	o	o	o	o	o	o	o	o
60	o	o	o	o	o	o	o	o	o
65	o	o	o	o	o	o	o	o	o
70	o	o	o	o	o	o	o	o	o
75	o	o	o	o	o	o	o	o	o
80	o	o	o	o	o	o	o	o	o
85	o	o	o	o	o	o	o	o	o
90	o	o	o	o	o	o	o	o	o
95	o	o	o	o	o	o	o	o	o
100	o	o	o	o	o	o	o	o	o
110				o	o	o	o	o	o
120				o	o	o	o	o	o
130				o	o	o	o	o	o
140				o	o	o	o	o	o
150				o	o	o	o	o	o



Vijak sa šestorokutnom glavom,  
 sa finim navojem do glave  
 Hexagon head screws  
 with metric fine pitch thread  
 Sechskantschrauben ohne Schaft,  
 metrisches Feingewinde




## 10.9 Br

d1	M 22 x 2	M 24 x 2	M 27 x 2	M 30 x 2	M 33 x 2	M 36 x 3	M 39 x 3	M 42 x 3
e	35,72	39,98	45,2	50,85	55,37	60,79	66,49	72,02
k	14,22	15	17,3	19,1	21	23	25	26
s po DIN	32	36	41	46	50	55	60	65
s po ISO		36						
l/d	M 22 x 2	M 24 x 2	M 27 x 2	M 30 x 2	M 33 x 2	M 36 x 3	M 39 x 3	M 42 x 3
10								
12								
14								
16								
18								
20								
22								
25								
30	0	0						
35	0	0						
40	0	0						
45	0	0						
50	0	0	0	0				
55	0	0	0	0				
60	0	0	0	0	0	0		
65	0	0	0	0	0	0	0	
70	0	0	0	0	0	0	0	
75	0	0	0	0	0	0	0	
80	0	0	0	0	0	0	0	0
85	0	0	0	0	0	0	0	0
90	0	0	0	0	0	0	0	0
95	0	0	0	0	0	0	0	0
100	0	0	0	0	0	0	0	0
110	0	0	0	0	0	0	0	0
120	0	0	0	0	0	0	0	0
130	0	0	0	0	0	0	0	0
140	0	0	0	0	0	0	0	0
150	0	0	0	0	0	0	0	0



Vijak sa šesterokutnom glavom,  
sa finim navojem do glave  
Hexagon head screws  
with metric fine pitch thread  
Sechskantschrauben ohne Schaft,  
metrisches Feingewinde




## 10.9 Zn

d1	M 8 x 1	M 10 x 1	M 10 x 1,25	M 12 x 1,25	M 12 x 1,5	M 14 x 1,5	M 16 x 1,5	M 18 x 1,5	M 20 x 1,5
e	14,8	18,9	18,9	21,1	21,1	24,49	26,75	30,14	33,53
k	5,3	6,4	6,4	7,5	7,5	8,8	10	11,5	12,5
s po DIN	13	17	17	19	19	22	24	27	30
s po ISO	13	16	16	18	18	21	24	27	30

l/d	M 8 x 1	M 10 x 1	M 10 x 1,25	M 12 x 1,25	M 12 x 1,5	M 14 x 1,5	M 16 x 1,5	M 18 x 1,5	M 20 x 1,5
10	0								
12	0								
14	0								
16	0	0	0	0	0	0			
18	0	0	0	0	0	0			
20	0	0	0	0	0	0	0		
22	0	0	0	0	0	0	0		
25	0	0	0	0	0	0	0		
30	0	0	0	0	0	0	0	0	0
35	0	0	0	0	0	0	0	0	0
40	0	0	0	0	0	0	0	0	0
45	0	0	0	0	0	0	0	0	0
50	0	0	0	0	0	0	0	0	0
55	0	0	0	0	0	0	0	0	0
60	0	0	0	0	0	0	0	0	0
65	0	0	0	0	0	0	0	0	0
70	0	0	0	0	0	0	0	0	0
75	0	0	0	0	0	0	0	0	0
80	0	0	0	0	0	0	0	0	0
85	0	0	0	0	0	0	0	0	0
90	0	0	0	0	0	0	0	0	0
95	0	0	0	0	0	0	0	0	0
100	0	0	0	0	0	0	0	0	0
110				0	0	0	0	0	0
120				0	0	0	0	0	0
130				0	0	0	0	0	0
140				0	0	0	0	0	0
150				0	0	0	0	0	0



Vijak sa šesterokutnom glavom,  
sa finim navojem do glave  
Hexagon head screws  
with metric fine pitch thread  
Sechskantschrauben ohne Schaft,  
metrisches Feingewinde



## 10.9 Zn

d1	M 22 x 2	M 24 x 2	M 27 x 2	M 30 x 2	M 33 x 2	M 36 x 3	M 39 x 3	M 42 x 3
e	35,72	39,98	45,2	50,85	55,37	60,79	66,49	72,02
k	14,22	15	17,3	19,1	21	23	25	26
s po DIN	32	36	41	46	50	55	60	65
s po ISO		36						
l/d	M 22 x 2	M 24 x 2	M 27 x 2	M 30 x 2	M 33 x 2	M 36 x 3	M 39 x 3	M 42 x 3
10								
12								
14								
16								
18								
20								
22								
25								
30	o							
35	o							
40	o	o						
45	o	o						
50	o	o	o	o				
55	o	o	o	o				
60	o	o	o	o	o	o		
65	o	o	o	o	o	o		
70	o	o	o	o	o	o		
75	o	o	o	o	o	o		
80	o	o	o	o	o	o	o	o
85	o	o	o	o	o	o	o	o
90	o	o	o	o	o	o	o	o
95	o	o	o	o	o	o	o	o
100	o	o	o	o	o	o	o	o
110	o	o	o	o	o	o	o	o
120	o	o	o	o	o	o	o	o
130	o	o	o	o	o	o	o	o
140	o	o	o	o	o	o	o	o
150	o	o	o	o	o	o	o	o

